APPLICATION I-002093* INFORMATION

Culclasure Farm Tract, LLC Culclasure Farm Mine Calhoun County

- 1) Application
- 2) Reclamation Plan

*Information included is provided by the applicant; details may change with the public notice/ technical review process. No decision has been made on this application.



11156 I-002093 (DBc H



Mining Form MR-400 S.C. DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL **BUREAU OF LAND AND WASTE MANAGEMENT DIVISION OF MINING AND SOLID WASTE PERMITTING** 2600 Bull Street, Columbia, SC 29201 Telephone Number: (803) 896-4261 Fax Number: (803) 896-4001

APPLICATION FOR A MINE OPERATING PERMIT DHEC FORM MR-400 DATE VERSION ADOPTED 7/1/94

"The South Carolina Mining Act," Sections 48-20-10 through 48-20-310, Code of Laws of South Carolina, 1976, as amended provides in part: "No operator may engage in mining without having first obtained from the Department an operating permit which covers the affected land and which has not been terminated, been revoked, suspended for the period in question, or otherwise become invalided." (Section 48-20-60) I. APPLICANT INFORMATION 1. Name of Company: Culclasure Farm Tract, LLC Partnership 1 LLC Limited Partnership Sole Proprietorship 2. Name of Proposed Mine: Culcldsure Farm Mine County: Calhoun 3. Home Office Address: 1201 Main Street, Suite 1980 (803) 748-1224 (Street and P.O. Box) (Telephone No.) Columbia SC 803-748-1216 (City) (State) (Zip Code) (Fax. No.) 4. Local Office Address: Same as Home Office (Street and P.O. Box) (Telephone No.) (City) (State) (Zip Code) (Fax. No.) 5. Designate to which office Official Mail is to be sent (check one): ✗ Home Office Local Office 6. Name of company personnel and their title to be the contact for official business and correspondence: Thomas Gordon, Operations Manager 7. Location of Mine: Horsefeathers Lane, Calhoun County, SC Swansea, SC (State or County Hwy No.) (Nearest Town or City) 8. Locate accurately on a county map, USGS 7.5' Topographic Map, or draw a detailed map to scale of: (1) how to get to your local office and (2) how to get to the mine (attach to this application). 9. If land is leased, complete the following: A. Name of landowner: Landowner's Address: JUL 3 1 2015 (Street and PO Box) (City) DIVISION OF MINING & (State) (Zip Code) SOUTEIN NUMBER AGENENT B. Date lease became effective: BLWM Date of lease termination: Name of lessee:

II. G	ENERAL CHARACTERISTICS OF MINE:
1.	Material(s) to be mined: Sand and Gravel for Construction Aggregate.
2.	. Mining Method:
	A. List equipment to be used for mining and provide a brief description as to how the mine will be operated. Clearing & grubbing operations will be performed by a excavator & front-end loader equipped with a root rake. Cleared trees & brush will either be used to form temporary brush barriers for erosion & sedimentation control or burned. Topsoil will be removed by a loader or excavator. Some topsoil will be sold, while the remainder will be used in on-going site development or reclamation. The exposed sand will be mined by front-end loader & or excavator and loaded into customer trucks.
	B. Will there be a process plant located at the mine site within the boundary of the permitted area? Yes No If no, please provide a brief description of the plant equipment and function of the plant. The plant equipment will consist of a excavator and a front-end loader. The function of the plant will be to excavate the sand, then load into customers trucks.
3.	Do you anticipate blasting as part of the mining operation? Yes No If yes, provide the distance to the nearest inhabited structure not owned or leased by the applicant. Also, provide as an attachment to this application the names and addresses of all the owners of all structures within one-half mile from the nearest point of blasting during the life of the proposed mine. How will flyrock be prevented from being projected from the permitted area?
4.	Has this site been mined in the past? If so, please indicate the present condition of the land. No mining has previously been conducted on this site.
5.	What is the expected maximum depth of this mine? Provide any additional information about the final depth of the mine that would be useful to the Department. (Example: Final depth of pit will be level to adjacent road, elevation above Mean Sea Level (MSL)). The depth of the mine will vary from location to location. The expected maximum depth of this mine will be approximately 70' below the highest adjoining terrain. the expected lowest elevation of the pit floor will be approximately elevation=280', based on MSL.

	70	Permitted acres owned by the operator	
	0	Permitted acres leased by the operator	
lot	te:	Permitted acreage should include the following: 1) acres of land to be affected (excavation, stockpiles, etc.); 2) future area(s) to be mined and 3) land to be used for buffer zones aroun The permitted area should be the property described in the LAND ENTRY AGREEMENT(S) OR MR-700).	d the affected lar
	Tota	al affected acreage:	Acres
	A)	Area used for sediment control ponds	
	B)	Area used for stockpiles of unprocessed minerals	
	C)	Area used for spoil (overburden) banks, topsoil and disposal refuse (exclusive of tailings impoundments)	
	D)	Areas used for on-site processing facilities and stockpiles of processed minerals	
	E)	Areas used for tailings pond (waste material from mineral processing)	
	F)	Area for access or haul roads	PPONONICALANDA
	G)	Area for excavation during the period of this permit OR	
		If mining and reclamation are to be done in segments, state the size of each segment (acres) 23 . Multiply the size of the segments by 3 and enter the resulting number.	66
	H)	TOTAL OF 2A THROUGH 2G	66
	Che	ck acreage to be bonded: total affected acreage calculated from Section 2.	
-	<u> </u>	0.00 - 9.99 acres (bond amount - \$10,000)	
		10.00 - 14.99 acres (bond amount - \$15,000)	
_		15.00 - 24.99 acres (bond amount - \$25,000)	
		25.00 + acres (bond amount - \$25,000 or greater) licant may submit a reclamation cost estimate for mines that will affect greater than 25 acres ased upon requirements in Regulation 89-200 B.	s. Estimate shou
ŗ	oem	this operation be covered by a blanket bond?YesV_No If yes, please list your conitted mining operations in South Carolina giving mine names, permit numbers and state the lamount on file with this Department.	ompany's other present reclamat

	er of years for which this permit is requested. The requested number of years the permit is requested should de with the Schedule of Reclamation as proposed by the applicant in the RECLAMATION PLAN, (Form MR- years
IV. PROTECTI	ON OF NATURAL RESOURCES
1. Will the	ere be a waste water treatment system at your mine site?Yes
	ere be a point source discharge from your plant or mine requiring an NPDES Permit? Ves No provide information as to how stormwater and groundwater will be managed? see attached sheet.
3. Will the	ere be air contaminant emissions from your plant or mine requiring an Air Quality Permit?Yes
4. Do you	anticipate pumping of groundwater? Ves No If yes, describe.
	isdictional wetlands be affected, filled or altered in any fashion that will require a Section 404 Dredge and Fill YesNo
6. Are the	ere any known cultural or historic sites located within the proposed area to be permitted?Yes
	y part of the permitted area be used as a solid waste describe how waste, trash, scrap metal material, e will be handled. Yes No
	questions 1-7 that need additional space for explanations, please provide additional information on an neet to this application.
	be the wildlife or freshwater, estuarine or marine fisheries in the area of the mining operation. Also provide ation about any ponds and/or streams that may be located in the proposed permitted area.
	Wildlife found on the site is typical for this area of the state, with, deer, turkey, & small game in abundance. This property and surrounding properties have been historically used for recreational hunting. Water resources are abundant in the areas adjacent to the property.
9. State th	e land cover and land uses on the permitted land area and contiguous tracts of land to the permitted land
area.	The subject property is surrounded by timberlands that are a combination of planted & volunteer pines, as well as mixed hardwoods. All of the land is sandy. There is one residence to the northwest & several to the south.
lakes or p	measures to be taken to insure against (1) substantial deposits of sediment in neighboring streams, rivers conds; (2) landslides; (3) acid water formation and discharge. Attach any supporting documents (engineering calculations, sediment & erosion control plan, setbacks, geotechnical information, acid prediction test etc.) plication. 1 Proper on-site erosion & sediment control measures will be maintained. Sheet flow from disturbed areas that do not drain into the mine excavation will pass thru brush barriers backed by silt fencing prior to release into any streams. 2 Landslides will not be a problem due to the mining setbacks. All final excavation high walls will be sloped and grassed upon completion of mining in the immediate areas to prevent movement. 3 Due to the pH neutral quality of the groundwater and the inert quality of the materials to be mined, acid water formation will not be a problem.

V. SAFETY

1. Describe methods to be used during the time the mine operating permit is active to prevent physical hazards to persons and to any neighboring dwelling, house, school, church, hospital, commercial or industrial building or public road. If applicable, provide the zoning designation for the property to permitted.

No schools, hospitals, churches, or commercial/industrial buildings are located within several miles of the proposed mine. The property has frontage on Horsefeathers Ln.(dirt county road). The main entrance will be off a county dirt road that ties to Hwy. 21 (Columbia Rd.). Topsoil storage berms will be erected along the road to screen the operation. Signs will be posted @<400' along the property lines warning against entry.

2. Describe methods to be used to prevent an adverse effect on the purposes of a publicly-owned park, publicly-owned forest, or publicly-owned recreation area. If any of these facilities are within one (1) mile of the proposed affected property, please locate on mine location map and the submitted U.S.G.S topographic map for this application.

No publicly-owned park, forest, or recreational area is located within one mile of the proposed mine.

3. Describe measures to be taken for screening the operation from view from public highways, public parks or residential areas. As described in the answer to Question 1 above, an undisturbed

As described in the answer to Question 1 above, an undisturbed buffer area will be left along the highway ROW's and against adjoining properties and a topsoil berm will be erected. The areas of future reserves and large buffer areas will also serve to screen the operation from the public eye.

VI. MINE MAP

- 1. Provide the U.S.G.S. topographic map(s) that contains the proposed mine site. The proposed permitted area should be outlined on this submitted topographic map.
- 2. Attach two (2) copies of a map of the site (referred to as the MINE MAP) that shows the following:
 - A. Outline of the area to be affected by mining during the number of years for which the permit is requested. See Section III, Question 1 on page 3 of this application form.
 - B. Outline of the permitted area that shows the buffers zones, future mine areas and areas to be affected by mining.
 - C. Outline of the planned pits or excavations for which your company has detailed plans. If your company has reason to believe that additional land may be mined in the future within the permitted area but is not feasible to show as planned excavations; indicate these areas as FUTURE RESERVES on this site map.
 - D. Outline of areas for the storage of naturally occurring soil that will be suitable for the establishment of vegetation in final reclamation.
 - E. Outline of planned areas for disposal of refuse, exclusive of tailings ponds.
 - F. Outline of planned spoil, overburden or other similar waste material disposal areas.
 - G. Locations of planned access and haul roads on the area to be affected.

- H. Outline of planned tailings ponds.
- Locations of sediment control pond(s) and other sediment control structures within the affected area. Outline of
 areas on which temporary or permanent vegetation will be established to control erosion during the mine
 operation.
- J. Location and name (if appropriate) of streams, lakes, wetlands and existing drainage ditches within the area to be permitted. Use arrows to indicate direction of water flow in such streams and drainage ditches.
- K. Boundary for the 100 year floodplain, where appropriate.
- L. Outline of areas for stockpiles of unprocessed minerals.
- M. Outline of area of previously mined land that will not be affected.
- N. Outline of the area to be occupied by processing facilities including stockpiles of processed minerals if such facilities are to be an integral on-site part of the mining operation.
- O. Show location of the two permanent survey control points.
- P. A legend showing the name of applicant, name of the proposed mine, north arrow, county, scale, date of preparation and name and title of person who prepared the site map.

THE REQUIRED SITE MAP SHALL HAVE A NEAT, LEGIBLE APPEARANCE AND BE OF SUFFICIENT SCALE TO CLEARLY SHOW THE REQUIRED INFORMATION LISTED ABOVE. THE BASE FOR THE MAP SHALL BE EITHER A SPECIALLY PREPARED LINE DRAWING, AERIAL PHOTOGRAPH, ENLARGED USGS TOPOGRAPHIC MAP OR A RECENTLY PREPARED PLAT.

- 3. Provide the most recent county tax map that shows all contiguous land owners of the permitted mine site. Provide name and addresses of all land owners contiguous to the proposed permitted mine site.
- 4. Provide letter from an attorney attesting to (1) the ownership if the property, (2) ownership of the mineral rights and (3) that the applicant has the legal right to mine the proposed mineral resource on the property as described in this application.

We hereby certify that all information and details contained hereinabove, within any supporting documents and on the map are true and correct to the best of our knowledge. We fully understand that any willful misrepresentation of facts will be cause for permit revocation.

The applicant acknowledges that Section 48-20-130, Code of Laws of South Carolina, provides in part: "Upon receipt of the operator's annual report or report of completion of reclamation and at any other reasonable time the department may elect, the department shall inspect the permit area to determine if the operator has complied with the reclamation plan, the requirements of this chapter, regulations promulgated by its authority, and the terms and conditions of this permit. Accredited representatives of the department at all reasonable times may enter upon the land subject to the certificate of exploration or operating permit for the purpose of making the inspection."

the certificate of exploration or operating permit for the purpose of making
Jh (Jha
Signature of Applicant/Operator or his Authorized Representative
Thomas R. Gordon
Printed Name of Applicant/Operator or his Authorized Representative
Title Manager
7-31-15
Date

Department Use Only		
Application No.:	Date Application App	roved: Date Bond Rec'd:
Bond Amount:	Blanket or	r Single Bond Permit Issuance Date:
ACTION TAKEN ON THIS	SAPPLICATION	
Approved	Denied	Approve with additional Terms and Conditions
By:DIVISION DIRECT	OR	
Date:		
		·



11156 IO020930 BC 8H



Mining Form MR-500 S.C. DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL BUREAU OF LAND AND WASTE MANAGEMENT DIVISION OF MINING AND SOLID WASTE PERMITTING 2600 Bull Street, Columbia, SC 29201 Telephone Number: (803) 896-4261 Fax Number: (803) 896-4001

RECLAMATION PLAN DHEC FORM 500 DATE VERSION ADOPTED 7/1/94

As required in Section 48-20-90 of the South Carolina Mining Act, "An operator shall submit with his application for an operating permit a proposed reclamation plan. The reclamation plan for an operating permit only must be furnished to the local soil and water conservation district in which the mining operation is to be conducted. The plan must include as a minimum each of the elements specified in the definition of 'reclamation plan' in Section 48-20-40 and information required by the department. The reclamation plan must provide that reclamation activities, particularly those relating to control of erosion, to the extent feasible, must be conducted simultaneously with mining operations and be initiated at the earliest practicable time after completion or termination of mining on a segment of the permitted land. The plan must provide that reclamation activities must be completed within two years after completion or termination of mining on each segment of the area for which an operation permit is requested unless a longer period specifically is permitted by the department."

que	ested unless a longer period specifically is permitted by the department."
1.	APPLICANT INFORMATION DIVISION OF MINING &
9	1. Name of Company: Culclesure Farm Tract, LLC SOLID WASTE MANAGEMEN
	2. Name of Proposed Mine: Culclasure Farm Mine County: Calhouna
	3. Home Office Address: 1201 main 5t, Suite 1980 803-748-1224
1988	(Street and P.O. Box) (Telephone No.) (Telephone No.)
	(City) (State) (Zip Code) (Fax No.) 4. Local Office Address: 5444 45 9694
320 3	(Street <u>and</u> P.O. Box) (Telephone No.)
34 12	(City) (State) (Zip Code) (Fax No.) 5. Name of company personnel and their title to be the contact for official business and correspondence: Thomas R. Goccan, Operations Market
80	6. Location of Mine: Horse feathers Lane Calhoun Courty, Sc Swanser, SC
	State or County Hwy No. Nearest Town or City
n.	ENVIRONMENTAL PROTECTION
	 Describe practices to protect adjacent resources such as roads, wildlife areas, woodland, cropland and others during mining and reclamation.
	See attacked Sheet
1	2. Describe proposed methods to limit significant adverse effects on adjacent surface water and groundwater resources.
	See attacked sheet
J.	 Describe proposed methods to limit significant adverse effects on known significant cultural or historic sites within the proposed permitted area.
	There are no cultural or historic sites on the
	There are no cultural or historic sites on the Proposed Property
310	3 (08/1997) Page 1 Permit No

Section II, Question 1:

A minimum 25'- wide woodland buffer will be left between the limit of disturbance and the adjoining property lines and along the various road frontages. Topsoil storage berms will be erected inside the undisturbed buffer in advance of mining each segment in these areas. The buffers and berms will serve visually screen the operation from the roadways and will deflect noise as well.

Section II, Question 2:

Adjoining areas will be protected by undisturbed buffer areas and the use of brush barriers and silt fencing. The planned mining scheme and erosion and sediment control measures, as shown on project drawings, in conjunction with the buffers, will protect these surface water resources from sedimentation.

No dumping of any materials in the mine excavation will be allowed, which will help protect ground water resources.

The highest potential for contamination or surface and ground water resources will come from the presence of petroleum products on site as required to fuel and maintain the heavy mobile equipment required in the mining process. This potential will be minimized through the use of standard controls as required by federal regulations.

Minor spills in this area and leaks from mobile equipment will be cleaned up immediately using absorbent materials and the soil will be properly disposed of off-site by a certified disposal contractor.

All employees will be trained on a regular basis in the proper handling of petroleum products, managing and cleaning up spills and proper disposal of rags, absorbent materials, and any contaminated soils in accordance with the Storm water Pollution Prevention Plan requirements of the NPDES permit.

### Describe method to prevent or eliminate conditions that could be hazardous to animal or fish life in or adjace permitted area. #### Stee attractor Steet #### Describe how applicant will comply with State air quality and water quality standards as established by the Department of Health and Environmental Control. ##### State Useful purpose(s) the affected land is being proposed for reclamation. More than one purpose may be but information should be submitted to support the feasibility for each proposed purpose. ###################################	
See attracted steet Seet	ent to th
III. RECLAMATION OF AFFECTED AREA 6. State useful purpose(s) the affected land is being proposed for reclamation. More than one purpose may be but information should be submitted to support the feasibility for each proposed purpose. a. Lake or pond	
III. RECLAMATION OF AFFECTED AREA 6. State useful purpose(s) the affected land is being proposed for reclamation. More than one purpose may be but information should be submitted to support the feasibility for each proposed purpose. a. Lake or pond	15
III. RECLAMATION OF AFFECTED AREA 6. State useful purpose(s) the affected land is being proposed for reclamation. More than one purpose may be but information should be submitted to support the feasibility for each proposed purpose. a. Lake or pond	
III. RECLAMATION OF AFFECTED AREA 6. State useful purpose(s) the affected land is being proposed for reclamation. More than one purpose may be but information should be submitted to support the feasibility for each proposed purpose. a. Lake or pond	(3)
### Action of AFFECTED AREA ### Action of AF	S.C.
6. State useful purpose(s) the affected land is being proposed for reclamation. More than one purpose may be but information should be submitted to support the feasibility for each proposed purpose. a. Lake or pond	2
6. State useful purpose(s) the affected land is being proposed for reclamation. More than one purpose may be but information should be submitted to support the feasibility for each proposed purpose. a. Lake or pond	63 KI
6. State useful purpose(s) the affected land is being proposed for reclamation. More than one purpose may be but information should be submitted to support the feasibility for each proposed purpose. a. Lake or pond	(1)
6. State useful purpose(s) the affected land is being proposed for reclamation. More than one purpose may be but information should be submitted to support the feasibility for each proposed purpose. a. Lake or pond	
a. Lake or pond f. Grassland g. Recreation g. Recreation d. Residential e. Commercial j. Other f. Grassland d. Residential e. Commercial j. Other f. Grassland d. Residential e. Commercial j. Other f. State the final maximum surface gradient(s) (slope) in soil, sand, or other unconsolidated materials on rectal Surface gradients steeper than 3H: 1V (18 degrees or 33 percent) may be required to submit geotechnical da studies to demonstrate that the steeper slopes will remain stable following final reclamation. See Attacke Skeet 6. How will the final slopes in unconsolidated material be accomplished? If the slope will be by backfilling, demor there is adequate material to accomplish the stated final gradient. If gradient is to be achieved by bringing in ma outside the permitted area, state the nature of the material and approximate quantities. If the gradient is to be y grading, show that there is adequate area for grading to achieve gradient (i.e., adequate distance between the line and edge of highwall). Operator should show calculations or other appropriate information to demonstrate is adequate materials in backfilling and grading to meet the requirements for final slope. See Attacke Skeet 9. Describe the plan for revegetation or other surface treatment of affected area(s). The revegetation plan shall in not be limited to the following: (a) planned soil test; (b) site preparation and fertilization; (c) seed or plant selection of seeding or amount of planting per acre; (e) maintenance.	20 8
b. Agriculture g. Recreation h. Wetlands h. Park h. J. Other J.	check
c. Woodlands h. Wetlands l. Park l. Park l. Other l. Othe	
e. Commercial	
9. Other 9. Describe the plan for revegetation or other surface treatment of affected area(s). The revegetation plan shall in not be limited to the following: (a) planned soil test; (b) site preparation and fertilization; (c) seed or plant selection of seeding or amount of planting per acre; (e) maintenance.	
 5. State the final maximum surface gradient(s) (slope) in soil, sand, or other unconsolidated materials on reclair Surface gradients steeper than 3H:1V (18 degrees or 33 percent) may be required to submit geotechnical das studies to demonstrate that the steeper slopes will remain stable following final reclamation. 6. How will the final slopes in unconsolidated material be accomplished? If the slope will be by backfilling, demonstrate is adequate material to accomplish the stated final gradient. If gradient is to be achieved by bringing in maximized the permitted area, state the nature of the material and approximate quantities. If the gradient is to be ygrading, show that there is adequate area for grading to achieve gradient (i.e., adequate distance between the line and edge of highwall). Operator should show calculations or other appropriate information to demonstrate is adequate materials in backfilling and grading to meet the requirements for final slope. 6. Stee attacket Sket 9. Describe the plan for revegetation or other surface treatment of affected area(s). The revegetation plan shall in not be limited to the following: (a) planned soil test; (b) site preparation and fertilization; (c) seed or plant selection of seeding or amount of planting per acre; (e) maintenance. 	
Surface gradients steeper than 3H:1V (18 degrees or 33 percent) may be required to submit geotechnical da studies to demonstrate that the steeper slopes will remain stable following final reclamation. See Attack Skect 8. How will the final slopes in unconsolidated material be accomplished? If the slope will be by backfilling, demor there is adequate material to accomplish the stated final gradient. If gradient is to be achieved by bringing in ma outside the permitted area, state the nature of the material and approximate quantities. If the gradient is to be by grading, show that there is adequate area for grading to achieve gradient (i.e., adequate distance between the line and edge of highwall). Operator should show calculations or other appropriate information to demonstrate is adequate materials in backfilling and grading to meet the requirements for final slope. See Attacke Skeet 9. Describe the plan for revegetation or other surface treatment of affected area(s). The revegetation plan shall in not be limited to the following: (a) planned soil test; (b) site preparation and fertilization; (c) seed or plant selection of seeding or amount of planting per acre; (e) maintenance.	
 8. How will the final slopes in unconsolidated material be accomplished? If the slope will be by backfilling, demor there is adequate material to accomplish the stated final gradient. If gradient is to be achieved by bringing in material and approximate quantities. If the gradient is to be by grading, show that there is adequate area for grading to achieve gradient (i.e., adequate distance between the line and edge of highwall). Operator should show calculations or other appropriate information to demonstrate is adequate materials in backfilling and grading to meet the requirements for final slope. 5cc attacké Sket 9. Describe the plan for revegetation or other surface treatment of affected area(s). The revegetation plan shall in not be limited to the following: (a) planned soil test; (b) site preparation and fertilization; (c) seed or plant selection of seeding or amount of planting per acre; (e) maintenance. 	ta and
there is adequate material to accomplish the stated final gradient. If gradient is to be achieved by bringing in material the permitted area, state the nature of the material and approximate quantities. If the gradient is to be by grading, show that there is adequate area for grading to achieve gradient (i.e., adequate distance between the line and edge of highwall). Operator should show calculations or other appropriate information to demonstrate is adequate materials in backfilling and grading to meet the requirements for final slope. See affected Sket 9. Describe the plan for revegetation or other surface treatment of affected area(s). The revegetation plan shall in not be limited to the following: (a) planned soil test; (b) site preparation and fertilization; (c) seed or plant selection of seeding or amount of planting per acre; (e) maintenance.	#: :
 Describe the plan for revegetation or other surface treatment of affected area(s). The revegetation plan shall in not be limited to the following: (a) planned soil test; (b) site preparation and fertilization; (c) seed or plant selection of seeding or amount of planting per acre; (e) maintenance. 	aterial fr e achie ne propi
not be limited to the following: (a) planned soil test; (b) site preparation and fertilization; (c) seed or plant selection of seeding or amount of planting per acre; (e) maintenance.	V ¥
not be limited to the following: (a) planned soil test; (b) site preparation and fertilization; (c) seed or plant selection of seeding or amount of planting per acre; (e) maintenance.	
not be limited to the following: (a) planned soil test; (b) site preparation and fertilization; (c) seed or plant selection of seeding or amount of planting per acre; (e) maintenance.	
not be limited to the following: (a) planned soil test; (b) site preparation and fertilization; (c) seed or plant selection of seeding or amount of planting per acre; (e) maintenance.	-
of seeding or amount of planting per acre; (e) maintenance.	nclude
see attacked Sheet	on; (d) ra
	*
	92
	3)

Section II, Question 4:

The erosion and sediment control measures, petroleum product handling procedures, woodland buffers, and topsoil storage berms will prevent hazards to animal and fish life.

Section II, question 5:

Section IV-2 of the mine operating permit application describes how state water quality compliance will be achieved for storm water and ground water. These practices will be continued throughout the reclamation phase as required to protect onsite surface and ground water resources.

A state air quality permit will not be required for this operation; however, fugitive dust emissions from plant roads and product stockpiles will be controlled through the use of water sprayer system to spray the roads so the dust does not leave the premises.

Section III, Question 6:

The mine excavations will be primarily reclaimed to grasslands through the covering of these areas with soils as required and the application of lime and fertilizer. Some ponds may be created in lower reaches of the pits if materials below the water table are mined. These ponds will be fed by both ground water and storm water run-off from higher portions of the pit floor. The reclamation of these areas will provide opportunities for reclamation for duck habitat, and even permanent ponds.

Section III Question 7:

The final maximum surface gradient in unconsolidated materials will be 3:1. Perimeter slopes of the mine excavation will be graded to this slope after completion of mining in any given area.

Section III Question 8:

As shown on the project drawings, a disturbed buffer of sufficient width to allow the forming of the 3:1 final perimeter slope on the excavation high walls will be left between the limit of mining and the limit of the disturbance. This slope will be created by pushing down the high wall with a front-end loader and or excavator. The topsoil storage berm pushed up prior to mining will be spread down across the final slope for the establishment of grass cover.

Section III Question 9:

The plan for revegetation in the affected areas shall include pH soil testing to determine the rate and amount of lime and fertilizers needed. All natural native grasses and plants will be used in revegetation to restore the property to a natural state.

The rate of seeding or amount of plants per acre will be determined by soil testing and how much natural revegetation has occurred at that time.

Maintenance will consist of re-grading and re-seeding any washed out areas and replacing any dead plantings that may occur during the reclamation process.

		· ·
10	 Provide, as a separate document, a closure plan of the mine and permitted facilities to prever from being harmful to the environment. A closure plan is not necessary for all mines, but is nexists for (a) acid rock drainage; (b) where the National Pollutant Discharge Elimination Syst discharge limitation parameters other than pH and Total Suspended Solids (TSS); (c) chemic 	equired where the possibility ems (NPDES) Permit has
100	stockpiles (excludes fertilizer or lime for revegetation purposes).	any treated tailings of
	See attacked sheet	
Va	Mothod of control of contaminants and disposal of wise week and we were all we were and we we	
	. Method of control of contaminants and disposal of mine waste soil, rock, mineral, scrap, tailing directly connected with the mining, cleaning, and preparation of mineral substances mined and deposited on or in the permit area from any source.	s, simes, and other materials I includes all waste materials
	See affected sheet	
1 2.	. Method of reclaiming settling and/or sediment ponds.	
	See attacked sheet	* * * * * * * * * * * * * * * * * * *
ψ.		श स
V 3.	Describe method of restoration or establishment of stream channels, stream banks and site d	rainage to a condition
8	minimizing erosion, siltation and other pollution.	idinage to a condition
	See attacked Sheet	e 1207 1207 1207 1207
14.	What are the maintenance plans to insure that the reclamation practices established on the at deteriorate before released by the Department?	fected land will not
	See attacked sheet	
×		* 150 * 1
15.	For final reclamation, submit information about practices to provide for safety to persons and to excavations. Identify areas of potential danger (vertical walls, unstable slopes, unstable surface	o adjoining property in all se on clay slimes, etc.) and
ı	provide appropriate safety provisions. These provisions can include but are not limited to setbe	acks, fencing,
	See attacké sleet	
,		4
ē	What provisions will be taken to prevent noxious, odious, or foul pools of water from collecting a area? For mines to be reclaimed as lakes or ponds, provide supporting information that a minir (4) feet on at least fifty percent (50%) of the pond surface area can be maintained.	nd remaining on the mined mum water depth of four
. •	See attache sket	e e
		* a a

Page 3

Permit No.

DHEC 3103 (03/1994)

Section III, Question 10:

Acid drainage will not be a factor at this operation. The NPDES permit will not have discharge limitations other than the standard pH and TSS parameters because this is an aggregate operation. There will be no chemically treated tailings or stockpiles. Due to these factors, a closure plan for the mine should not be required.

Section III, Question 11:

Waste materials, consisting primarily of waste/oversize gravel and clay balls will be disposed of by spreading over the pit floor or backfilling against the high walls in mined areas. These areas will be properly graded to form stable slopes, covered with soil as required to support vegetative growth, and grassed on an on-going basis. Final reclamation will insure that all areas are graded and vegetated.

Importation of waste materials from other sources is not anticipated.

The only potential contaminants to be used in this process are petroleum products. All petroleum products will be removed from the site as part of mine closure. Any spillage and resulting soil contamination will be cleaned up at the time of each incident, so there will be no remaining soil or ground water contamination. (See Section II, Question 2 for description of how petroleum products will be handled during mining.)

Section III, Question 12:

As indicated above, these areas will be allowed to dry out and then all final grading of banks and any required leveling of the surface will be performed. The areas will be reclaimed to grasslands with some water bodies, ponds, and wetlands.

Section III, Question 13:

No stream banks or channels will be disturbed by this project. Temporary site drainage channels will be properly constructed and vegetated to minimize erosion and sedimentation. Temporary lining materials needed to prevent erosion as vegetation establishes will be used as required. Permanent lining materials such as rip-rap will be used where necessary.

Section III, Question 14:

Maintenance lime and fertilizer applications will be done as required to sustain grass growth until specific areas are released by the Department. Inspections will be done on slopes to catch erosion problems and these problems will be corrected as required, including re-grading and re-grassing.

Section III, Question 15:

The minimum distance remaining at final reclamation between any adjoining property line or highway R/W and the mine excavation will be 25'. As stated previously, all perimeter excavation slopes will be graded to 3:1 and grassed as mining progresses. As indicated in section V-1 of the mine operating

permit application, warning signs will be maintained throughout the mine permit life along the adjoining property lines

Section III, Question 16:

All final grades will be such as to eliminate the formation of such pools of water. Any ponds left in the mine excavation will be tied to the ground water table and receive sufficient runoff from other portions of the mine to maintain them. They will also be dug out as required so that the four foot depth criteria will be met.

17. Identify any structures (e.g. buildings, roads) that are proposed to remain as part of final reclamation. Provide justification for leaving any structures.

See Attacked Skeet

- 18. Attach two (2) copies of a map of the area (referred to as the RECLAMATION MAP) that shows the reclamation practices and conservation practices to be implemented. The following should be shown:
 - A. The outline of the proposed final limits of the excavation during the number of years for which the permit is requested.
 - B. The approximate final surface gradient(s) and contour(s) of the area to be reclaimed. This would include the sides and bottoms of mines reclaimed ponds and lakes.
 - C. The outline of the tailings disposal area.
 - D. The outline of disposal areas for spoil and refuse (exclusive of tailings ponds).
 - E. The approximate location of the mean shore line of any impoundment or water body and inlet and/or outlet structures which will remain upon final reclamation.
 - F. The approximate locations of access roads, haul roads, ramps or buildings which will remain upon final reclamation.
 - G. The approximate locations of various vegetative treatments.
 - H. The proposed locations of re-established streams, ditches or drainage channels to provide for site drainage.
 - The proposed locations of diversions, terraces, silt fences, brush barriers or other Best Management Practices to be used for preventing or controlling erosion and off-site siltation.
 - J. Proposed locations of the measures to provide safety to persons and adjoining property.
 - K. Segments of the mine that can be mined and reclaimed as an ongoing basis.
 - L. The boundaries of the permitted area.
 - M. The boundaries of the affected area for the anticipated life of the mine.
 - N. The boundaries of the 100-year floodplain, where appropriate.
 - O. Identify sections of mine where the final surface gradient will be achieved by grading and/or backfilling.
 - P. A legend showing the name of the applicant, the name of the proposed mine, the north arrow, the county, the scale, the date of preparation and the name and title of the person who prepared the map.

THE REQUIRED RECLAMATION MAP SHALL HAVE A NEAT, LEGIBLE APPEARANCE AND BE OF SUFFICIENT SCALE TO CLEARLY SHOW THE REQUIRED INFORMATION LISTED ABOVE. THE BASE FOR THE MAP SHALL BE EITHER A SPECIALLY PREPARED LINE DRAWING, AERIAL PHOTOGRAPH, ENLARGED USGS TOPOGRAPHIC MAP OR A RECENTLY PREPARED PLAT. RECLAMATION MAP SHOULD BE THE SAME SCALE USED FOR THE SITE MAP.

IV. SCHEDULE FOR IMPLEMENTATION OF CONSERVATION AND RECLAMATION PRACTICES

19. As stated in Section 48-20-90 of the S.C. Mining Act, reclamation activities, to the extent feasible, must be conducted simultaneously with mining operations. Identify which areas or segments of the mine are not feasible to reclaim simultaneously with mining. Provide reasons why reclamation can not proceed simultaneously with mining in these areas.

see Attacked Sleet

Section III, Question 17:

No buildings are proposed to be left on site at this time. Certain roads that have been constructed will be left to serve future site use after release of the property from the mine permit. These roads will be properly graded and stabilized with grass and crusher run stone to prevent erosion.

Section IV, Question 19:

The office and scales area and various access roads will be utilized throughout the permit life and will not be reclaimed until the end of the permit life. Certain mined areas that have been or are scheduled to be converted to process water settling basins may not be reclaimed simultaneously with mining operations.

Section 48-20-40(16)(I) of the S.C. Mining Act requires a "time schedule, including the anticipated years for completion of reclamation by segments." This time schedule should meet the requirements of Section 48-20-90 of the Mining Act.

SCHEDULE FOR IMPLEMENTING CONSERVATION AND RECLAMATION PRACTICES

Conservation & Reclamation	Segment #	. Pi	anned	Ap̂		
Practices	Area	Amount .	Year	- Amount	Month/Year	Notes
Constant Haul Rose	Section"		1	*		
Establish Mud Mat	Mine Endrance	501				Prior to Mining
Stockpile Top Soil	Within SAC Disturbage		<u> </u>			During
			-	* * * * * * * * * * * * * * * * * * * *	35 A	<u> </u>
Grade-TS-Fertilize	Spot Sodient	whoe				
and Seed	Control	Wasser.		-		See note 1
Submit ARR +			·			
AOF Annually		e.			·	See note 2
,		•				
Notice Department	Section 1		End of			
one minig his cosed			mining.			
2	Pi+Ares					
Grede - TS-Fortilize	Sodinat Area	•	End of		, , , , , , , , , , , , , , , , , , ,	Secrole 3-4
and Seed	Access Road		mining			<u> </u>
	·		->			
Notice Dept. once			ene of . Active			
Reclamptions are in Place			Reclandicin			
	·					
Maintain Recknohim	AN		Vitau			
work by Reparing			reclenation			
Prosid dampe, resure			Assopted	÷		
when necessary	, . -		by DHEC	<u> </u>		
* Completed by the Department			Page 5		Perm	

Note #1

Where necessary, spot sediment control structures (e.g., silt fences, brush barriers, stone rip rap, etc.) will be used to control erosion and off site sediment.

Note # 2

ARR and AOF are required until reclamation has been accepted and GP1 permit is cancelled by the department (Part VI of GP1).

Note #3

Accumulated sediment will be spread out to dry then used in topsoil reclamation.

Note #4

Reclamation on each segment may begin at an earlier date if mining proceeds at a rate faster than anticipated. The grading/topsoil/fertilize/seed refers to side slopes of the pit when final reclamation of the pit is to a pond.

Section 48-20-40(16)(I) of the S.C. Mining Act requires a "time schedule, including the anticipated years for completion of reclamation by segments." This time schedule should meet the requirements of Section 48-20-90 of the Mining Act.

SCHEDULE FOR IMPLEMENTING CONSERVATION AND RECLAMATION PRACTICES

Conservation & Reclamation	Segment # or	P	lanned	*Ap	A1 - 4	
Practices	Area	Amount	Year	- Amount	Month/Year	Notes
Construct Haul Road	Section 2		1	2.		
				* .		
Establish Mud Mat	mine Entrance	50'				Prior to Mining
						3
Stockpile Top Soil	Within SAC Disturbage					During
						3
Grade-TS-Fertilize	Spot Sedjunt	whee				
and Seed	control	Mecessory	1			See note 1
			•1			
Submit ARR +		· · · · · · · · · · · · · · · · · · ·	5			
AOF Annually				1,		Seenote 2

Notice Department	Section 1	-	End of			
one mining hes cosed			mining			
~ M1000	Pi+ Area		7			
Grede - TS-Fertilize	Sodinat Aven	¥	End of			Seende 3-2
and Seed	Access Road		minin			
	3.5		3			# . * *********************************
Notice Dept. once			End of	41		000 VI
Reclamations are in Place		4	Active Reclements			2
	·					ii ii
Maintein Recknohim	AII		litry			
work by Reparing			reclaration			
Prosia demose, resert			Accepted			* * *
when necessary		•	by DHEC	ŀ	2	
* Completed by the Departmen HEC 3103 (03/1994)	<u>t</u>		Page 5			it No

Note #1

Where necessary, spot sediment control structures (e.g., silt fences, brush barriers, stone rip rap, etc.) will be used to control erosion and off site sediment.

Note # 2

ARR and AOF are required until reclamation has been accepted and GP1 permit is cancelled by the department (Part VI of GP1).

Note #3

Accumulated sediment will be spread out to dry then used in topsoil reclamation.

Note #4

Reclamation on each segment may begin at an earlier date if mining proceeds at a rate faster than anticipated. The grading/topsoil/fertilize/seed refers to side slopes of the pit when final reclamation of the pit is to a pond.

YOU ARE NOTIFIED TH	AT:		#1 AV		S N 180	
You, the operator, me forth hereinabove; an	ust file an application	to modify the reclam	ation plan in the eve	ent actual reclam	nation varies fro	n the set
2) If at any time it appearand requirements of 48-20-150.	ars to the Departmen the S.C. Mining Act,	nt that the activities un the Department may	der the reclamation modify the RECLAI	plan are failing MATION PLAN i	to achieve the p n accordance to	urposes Section
- lun	11	ë e	н	>	986 5	ži
Signature of Applicant/Op	perator or his Authori	zed Representative	**	3 1	**************************************	e E
Thomas Gor	dan			.2	0 %	
Printed Name of Applican	t/Operator or his Aut	horized Representati	ve	e n ^{net} n		ē
Operations M	langes				ě e	Æ
Title	. 3			e e	20 a	
7-31-15	¥	YaY (#		# ne 2		<u> </u>
Date			30		37	% ₂
				0.00	- FE	(e) ¹
Department Use Only	語					
m 2	ite Application Appro	oved:	Date Bond Rec'd:			
Permit No.; Da		*			20	E.
Permit No.: Da	Blanket or S	Single Bond:				ਦ ਹ ^ਦ ਦ
Permit No.: Da Bond Amount: ACTION TAKEN ON THIS	Blanket or S	Single Bond:	Permit Issua	ance Date:	# 100 mm	e
Permit No.: Da	Blanket or S	Single Bond:	Permit Issua	ance Date:	1 2 an	е 0 ^Р е
Permit No.: Da Bond Amount: ACTION TAKEN ON THIS Approved By:	Blanket or S RECLAMATION PLA Denied	Single Bond:	Permit Issua	ance Date:	1 2 an	* * * * * * * * * * * * * * * * * * *
Permit No.: Da Bond Amount: ACTION TAKEN ON THIS Approved	Blanket or S RECLAMATION PLA Denied	Single Bond:	Permit Issua	ance Date:	3 (1) (2) (3) (4) (4) (4) (4) (4) (4) (4) (4) (4) (4	
Permit No.: Da Bond Amount: ACTION TAKEN ON THIS Approved By:	Blanket or S RECLAMATION PLA Denied	Single Bond:	Permit Issua	ance Date:	3 (1) (2) (3) (4) (4) (4) (4) (4) (4) (4) (4) (4) (4	
Permit No.: Da Bond Amount: ACTION TAKEN ON THIS Approved By: DIVISION DIRECTO	Blanket or S RECLAMATION PLA Denied	Single Bond:	Permit Issua	ance Date:		
Permit No.: Da Bond Amount: ACTION TAKEN ON THIS Approved By: DIVISION DIRECTO	Blanket or S RECLAMATION PLA Denied	Single Bond:	Permit Issua	ance Date:		
Permit No.: Da Bond Amount: ACTION TAKEN ON THIS Approved By: DIVISION DIRECTO	Blanket or S RECLAMATION PLA Denied	Single Bond:	Permit Issua	ance Date:		
Permit No.: Da Bond Amount: ACTION TAKEN ON THIS Approved By: DIVISION DIRECTO	Blanket or S RECLAMATION PLA Denied	Single Bond:	Permit Issua	ance Date:		
Permit No.: Da Bond Amount: ACTION TAKEN ON THIS Approved By: DIVISION DIRECTO	Blanket or S RECLAMATION PLA Denied	Single Bond:	Permit Issua	ance Date:		
Permit No.: Da Bond Amount: ACTION TAKEN ON THIS Approved By: DIVISION DIRECTO	Blanket or S RECLAMATION PLA Denied	Single Bond:	Permit Issua	ance Date:		
Permit No.: Da Bond Amount: ACTION TAKEN ON THIS Approved By: DIVISION DIRECTO	Blanket or S RECLAMATION PLA Denied	Single Bond:	Permit Issua	ance Date:		
Permit No.: Da Bond Amount: ACTION TAKEN ON THIS Approved By: DIVISION DIRECTO	Blanket or S RECLAMATION PLA Denied	Single Bond:	Permit Issua	ance Date:		
Permit No.: Da Bond Amount: ACTION TAKEN ON THIS Approved By: DIVISION DIRECTO	Blanket or S RECLAMATION PLA Denied	Single Bond:	Permit Issua	ance Date:		